

For everyone...

ecobike

www.rowery-elektryczne.pl



ecobike

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok

2019 rok



Basic Nexus



Basic



MADE IN
POLAND

economic variant

BATTERY

Type	Li-NCM	ENGINE	250W
Capacity (Ah)	7,8-16 Ah	Nominal Power	320W
Capacity (Wh)	280-576 Wh	Max. Power	320W
Range(km)	40-160 km	Mount	Front wheel
Voltage	36V	Speed	up to 25 km/h
Charging time	4-8 godz.	Torque	25 N.m
		Hall sensor	YES

SPECIFICATION

Weight	21,7 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano Nexus 3
Brakes	V-brake PROMAX
Suspension	Rigid
Throttle	YES, 6 km/h
Display	LED - 3 modes of drive support

BATTERY

Type	Li-NCM	ENGINE	250W
Capacity (Ah)	7,8-16 Ah	Nominal Power	320W
Capacity (Wh)	280-576 Wh	Max. Power	320W
Range(km)	40-160 km	Mount	Back wheel
Voltage	36V	Speed	up to 25 km/h
Charging time	4-8 godz.	Torque	25 N.m
		Hall sensor	YES

SPECIFICATION

Weight	21,7 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano Tourney 6-drive
Brakes	V-brake PROMAX
Suspension	Rigid
Throttle	YES, 6 km/h
Display	LED - 3 modes of drive support

Traffic White



Traffic Black



MADE IN
POLAND

urban variant

BATTERY

Type	Li-NCM
Capacity (Ah)	7,8-16 Ah
Capacity (Wh)	280-576 Wh
Range(km)	40-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	320W
Mount	Back wheel
Speed	up to 25 km/h
Torque	25 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,5 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 6 km/h
Display	LED - 3 modes of drive support

BATERIA


Type	Li-NCM
Pojemność (Ah)	7,8-16 Ah
Pojemność (Wh)	280-576 Wh
Dystans (km)	40-160 km
Woltaż	36V
Czas ładowania	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	320W
Mount	Back wheel
Speed	up to 25 km/h
Torque	25 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,6 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	19" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 6 km/h
Display	LED - 3 modes of drive support



Traffic M



Traffic Blue

MADE IN
POLAND



urban variant

BATTERY

Type	Li-NCM
Capacity (Ah)	7,8-16 Ah
Capacity (Wh)	280-576 Wh
Range(km)	40-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	320W
Mount	Back wheel
Speed	up to 25 km/h
Torque	25 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,7 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	20" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 6 km/h
Display	LED - 3 modes of drive support

BATTERY

Type	Li-NCM
Capacity (Ah)	7,8-16 Ah
Capacity (Wh)	280-576 Wh
Range(km)	40-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	320W
Mount	Back wheel
Speed	up to 25 km/h
Torque	25 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,4 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	26" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 6 km/h
Display	LED - 3 modes of drive support



Traffic M *PRO*



Traffic Blue *PRO*

MADE IN
POLAND



urban variant

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-16 Ah
Capacity (Wh)	374-576 Wh
Range(km)	50-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	560W
Mount	Back wheel
Speed	up to 35 km/h
Torque	45 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,7 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	20" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 30 km/h
Display	LCD C600 USB - 6 modes of drive support

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-16 Ah
Capacity (Wh)	374-576 Wh
Range(km)	50-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	560W
Mount	Back wheel
Speed	up to 35 km/h
Torque	45 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,6 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	26" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 30 km/h
Display	LCD C600 USB - 6 modes of drive support

ecobike



Traffic White

PRO



Traffic Black

PRO



urban variant

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-16 Ah
Capacity (Wh)	374-576 Wh
Range(km)	50-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	560W
Mount	Back wheel
Speed	up to 35 km/h
Torque	45 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,7 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 30 km/h
Display	LCD C600 USB - 6 modes of drive support

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-16 Ah
Capacity (Wh)	374-576 Wh
Range(km)	50-160 km
Voltage	36V
Charging time	4-8 godz.

ENGINE

Nominal Power	250W
Max. Power	560W
Mount	Back wheel
Speed	up to 35 km/h
Torque	45 N.m
Hall sensor	YES

SPECIFICATION

Weight	23,9 kg (aluminium)
Max. Load	100 kg (with rack)
Frame	19" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	MITAS Flash Classic 700*40C
Shifters	Shimano ALTUS 7-drive
Brakes	V-brake PROMAX
Suspension	SunTour CR8V
Throttle	YES, 30 km/h
Display	LCD C600 USB - 6 modes of drive support

ecobikes





Central engine

Cortina lux

MADE IN
POLAND



 **250 W** Engine power
  **24,5 kg** Weight
  **160 km** Max. Range
  **374-576 Wh** Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 godz.

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Central
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 24,5 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 17" Hydroformed Aluminium
 Tire 28" reinforced rims and stainless spokes REMERX
 Wheel MITAS Flash Classic 700*40C
 Shifters Shimano NEXUS 7-drive
 Brakes V-brake PROMAX
 Suspension NEX HLO DS. 700*40C
 Throttle YES, 30 km/h
 Display LCD C600 USB - 6 modes of drive support

ecobike



Cortina

MADE IN
POLAND

 250 W Engine power
  24,5 kg Weight
  160 km Max. Range
  374-576 Wh Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 godz.

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Back wheel
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 24,5 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 17" Hydroformed Aluminium
 Tire 28" reinforced rims and stainless spokes REMERX
 Wheel 28" MITAS Flash Classic 700*40C
 Shifters Shimano ACERA 8-drive
 Brakes TEKTRO ARIES
 Suspension NEX HLO DS, 700*40C
 Throttle YES, 30 km/h
 Display LCD C300S - 6 modes of drive support

ecoBike



Livigno

MADE IN
POLAND



 **250 W**
Moc silnika
  **24,6 kg**
Waga roweru
  **160 km**
Maksymalny zasięg
  **374-576 Wh**
Siła baterii

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 godz.

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Back wheel
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 24,6 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 19" Hydroformed Aluminium
 Tire 28" reinforced rims and stainless spokes REMERX
 Wheel 28" MITAS Flash Classic 700*40C
 Shifters Shimano ACERA 8-drive
 Brakes TEKTRO ARIES
 Suspension NEX HLO DS. 700*40C
 Throttle YES, 30 km/h
 Display LCD C300S - 6 modes of drive support



ecoBIKE

Fourth generation...

This is the fourth generation of an electric bicycle, who won the gold medal and distinction at The largest bicycle trade fair in Europe



S-cross L White



S-cross L Black

MADE IN
POLAND



Trekking

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-16 Ah
Capacity (Wh)	374-576 Wh
Range(km)	50-160 km
Voltage	36V
Charging time	4-8 h

ENGINE

Nominal Power	250W
Max. Power	560W
Mount	Back wheel
Speed	up to 35 km/h
Torque	45 N.m
Hall sensor	YES

SPECIFICATION

Weight	25,6 kg (aluminium)
Max. Load	125 kg (with rack)
Frame	17" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	28 x 1.75 Schwalbe ENERGIZER PLUS
Shifters	Shimano ALIVIO 27-drive
Brakes	Shimano MT200
Suspension	SunTour NEX E-25 (dedicated to e-bike)
Throttle	YES, 30 km/h
Display	LCD C700 USB - 6 modes of drive support (COLORFUL)

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-16 Ah
Capacity (Wh)	374-576 Wh
Range(km)	50-160 km
Voltage	36V
Charging time	4-8 h

ENGINE

Nominal Power	250W
Max. Power	560W
Mount	Back wheel
Speed	up to 35 km/h
Torque	45 N.m
Hall sensor	YES

SPECIFICATION

Weight	25,7 kg (aluminium)
Max. Load	125 kg (with rack)
Frame	19" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	28 x 1.75 Schwalbe ENERGIZER PLUS
Shifters	Shimano ALIVIO 27-drive
Brakes	Shimano MT200
Suspension	SunTour NEX E-25 (dedicated to e-bike)
Throttle	YES, 30 km/h
Display	LCD C700 USB - 6 modes of drive support (COLORFUL)



Trekking

S-cross M

MADE IN
POLAND



 250 W Engine power
  25,6 kg Weight
  160 km Max. Range
  374-576 Wh Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 h

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Back wheel
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 25,7 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 20" Hydroformed Aluminium
 Tire 28" reinforced rims and stainless spokes REMERX
 Wheel 28 x 1.75 Schwalbe ENERGIZER PLUS
 Shifters Shimano ALIVIO 27-drive
 Brakes Shimano MT200
 Suspension SunTour NEX E-25 (dedicated to e-bike)
 Throttle YES, 30 km/h
 Display LCD C700 USB - 6 modes of drive support (COLORFUL)



ecoBIKE



option with rack

MTB S3

MADE IN
POLAND



 250 W Engine power
  23,5 kg Weight
  160 km Max. Range
  374-576 Wh Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 h

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Back wheel
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 23,5 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 17" Hydroformed Aluminium
 Tire 27,5" reinforced rims and stainless spokes REMERX
 Wheel 27.5 x 2,1 Schwalbe Smart Sam
 Shifters Shimano ACERA 27-drive
 Brakes Shimano MT200
 Suspension SunTour XCM HLO DS
 Throttle YES, 30 km/h
 Display LCD C300S - 6 modes of drive support

ecoBike



option with rack

MTB S4

MADE IN
POLAND



 250 W Engine power
  23,7 kg Weight
  160 km Max. Range
  374-576 Wh Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 h

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Back wheel
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 23,7 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 19" Hydroformed Aluminium
 Tire 27,5" reinforced rims and stainless spokes REMERX
 Wheel 27,5 x 2,1 Schwalbe Smart Sam
 Shifters Shimano ACERA 27-drive
 Brakes Shimano MT200
 Suspension SunTour XCM HLO DS
 Throttle YES, 30 km/h
 Display LCD C300S - 6 modes of drive support

ecoBike



option with rack

MTB S5

MADE IN
POLAND



 250 W Engine power
  23,9 kg Weight
  160 km Max. Range
  374-576 Wh Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 h

ENGINE

Nominal Power 250W
 Max. Power 560W
 Mount Back wheel
 Speed up to 35 km/h
 Torque 45 N.m
 Hall sensor YES

SPECIFICATION

Weight 23,9 kg (aluminium)
 Max. Load 125 kg (with rack)
 Frame 20" Hydroformed Aluminium
 Tire 28" reinforced rims and stainless spokes REMERX
 Wheel 29 x 2,1 Schwalbe Smart Sam
 Shifters Shimano ACERA 27-drive
 Brakes Shimano MT200
 Suspension SunTour XCM HLO DS
 Throttle YES, 30 km/h
 Display LCD C300S - 6 modes of drive support

ecoBIKE



central engine

RL

MADE IN
POLAND



 250 W Engine power	 24,8 kg Weight	 130 km Max. Range	 499-614 Wh Battery power
---	---	---	---

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-12,8 Ah
Capacity (Wh)	499-614 Wh
Range(km)	50-130 km
Voltage	48V
Charging time	4-8 h

ENGINE

Nominal Power	250W
Max. Power	760W
Mount	Central
Speed	up to 45 km/h
Torque	80 N.m
Half sensor	YES

SPECIFICATION

Weight	24,8 kg (aluminium)
Max. Load	125 kg (with rack)
Frame	20" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	28 x 1.75 Schwalbe ENERGIZER PLUS
Shifters	Shimano ALIVIO 9-drive
Brakes	Shimano ALIVIO MT400
Suspension	SunTour E25 - Speed Bike
Throttle	YES, 40 km/h
Display	LCD C700 USB - 6 modes of drive support (COLORFUL)

ecobike



central engine

RM

MADE IN
POLAND



 250 W Engine power	 24,9 kg Weight	 130 km Max. Range	 499-614 Wh Battery power
---	---	---	---

BATTERY

Type	Li-NCM
Capacity (Ah)	10,4-12,8 Ah
Capacity (Wh)	499-614 Wh
Range(km)	50-130 km
Voltage	48V
Charging time	4-8 h

ENGINE

Nominal Power	250W
Max. Power	760W
Mount	Central
Speed	up to 45 km/h
Torque	80 N.m
Half sensor	YES

SPECIFICATION

Weight	24,9 kg (aluminium)
Max. Load	125 kg (with rack)
Frame	20" Hydroformed Aluminium
Tire	28" reinforced rims and stainless spokes REMERX
Wheel	28 x 1.75 Schwalbe ENERGIZER PLUS
Shifters	Shimano ALIVIO 9-drive
Brakes	Shimano ALIVIO MT400
Suspension	SunTour E25 - Speed Bike
Throttle	YES, 40 km/h
Display	LCD C700 USB - 6 modes of drive support (COLORFUL)

ecobike

central engine



RS

MADE IN
POLAND



 250 W Engine power
 24,9 kg Weight
 130 km Max. Range
 499-614 Wh Battery power

BATTERY

Type Li-NCM
Capacity (Ah) 10,4-12,8 Ah
Capacity (Wh) 499-614 Wh
Range(km) 50-130 km
Voltage 48V
Charging time 4-8 h

ENGINE

Nominal Power 250W
Max. Power 760W
Mount Central
Speed up to 45 km/h
Torque 80 N.m
Hall sensor YES

SPECIFICATION

Weight 24,9 kg (aluminium)
Max. Load 125 kg (with rack)
Frame 19" Hydroformed Aluminium
Tire 28" reinforced rims and stainless spokes REMERX
Wheel 29 x 2.10 Schwalbe SMART SAM
Shifters Shimano DEORE 10 -drive
Brakes Shimano ALIVIO MT400
Suspension XCR-AIR LOR DS. 29"
Throttle YES, 40 km/h
Display LCD C700 USB - 6 modes of drive support (COLORFUL)

ecobike

 250W Engine power
  21,8 kg Weight
  160 km Max. Range
  374-576 Wh Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 10,4-16 Ah
 Capacity (Wh) 374-576 Wh
 Range(km) 50-160 km
 Voltage 36V
 Charging time 4-8 h

ENGINE

Nominal Power 250W
 Max. Power 320W
 Mount SAFAN Back wheel
 Speed up to 25 km/h
 Torque 35 N.m
 Hall sensor YES

SPECIFICATION

Weight 21,8 kg (aluminium)
 Max. Load 100 kg (with rack)
 Frame 15,5" Hydroformed Aluminium
 Tire 20" reinforced rims and stainless spokes REMERX
 Wheel 20 x 2.0 Schwalbe BigApple
 Shifters Shimano Tourney 6 - drive
 Brakes V-brake PROMAX
 Suspension RST CARVE-P-20
 Throttle YES, 25 km/h
 Display LCD C300S - 6 modes of drive support

it folds well...

Even White/Black

MADE IN
POLAND



ecobike

 **250 W**
  **21,8 kg**
  **70 km**
  **280-345 Wh**
 Engine power Weight Max. Range Battery power

BATTERY

Type Li-NCM
 Capacity (Ah) 7,8-9,6 Ah
 Capacity (Wh) 280-345 Wh
 Range(km) 30-70 km
 Voltage 36V
 Charging time 4-8 h

ENGINE

Nominal Power 250W
 Max. Power 320W
 Mount SAFAN Back wheel
 Speed up to 25 km/h
 Torque 35 N.m
 Hall sensor YES

SPECIFICATION

Weight 21,8 kg (aluminium)
 Max. Load 100 kg (with rack)
 Frame 15,5" Hydroformed Aluminium
 Tire 20" reinforced rims and stainless spokes REMERX
 Wheel 20 x 2.0 Schwalbe BigApple
 Shifters Shimano Tourney 6 - drive
 Brakes V-brake PROMAX
 Suspension Rigid
 Throttle YES, 25 km/h
 Display LCD C300S - 6 modes of drive support

it folds well ...

Tourism

MADE IN
POLAND



ecobike

central electric bicycle kit

electric bicycle kit (rack)



electric bicycle kit (trapezium)



BAFANG

Voltage Set 36V
Nominal Power 250W
Max.Power 540W
Loudness <55 dB
Speed 25-35 km
Torque 45 N.m
RPM(r/min) 180-350
Free wheel Cassette
Hall sensor YES
Speed sensor YES

Battery Voltage 36V
Battery type Li-NCM
Battery Capacity (Ah) 10,4-16 Ah
Battery Capacity (Wh) 374-576 Wh
Battery Range (km) 50-160 km
Charging time 4-8 h

Screen diagonal (Cal) 3,5"
PAS level selection 6
Distance indicator YES
Current display YES
Riding mode selection YES
Speed display YES
Backlight indicator YES
Error code indicator YES
Trip time indicator YES



central electric bicycle kit

electric bicycle kit (rack)



electric bicycle kit (trapezium)



BAFANG

Voltage Set 36V
Nominal Power 250W
Max.Power 540W
Loudness <55 dB
Speed 25-35 km
Torque 45 N.m
RPM(r/min) 180-350
Free wheel Cassette
Hall sensor YES
Speed sensor YES

Battery Voltage 36V
Battery type Li-NCM
Battery Capacity (Ah) 10,4-16 Ah
Battery Capacity (Wh) 374-576 Wh
Battery Range (km) 50-160 km
Charging time 4-8 h

Screen diagonal (Cal) 3,5"
PAS level selection 6
Distance indicator YES
Current display YES
Riding mode selection YES
Speed display YES
Backlight indicator YES
Error code indicator YES
Trip time indicator YES

